ELSEVIER

Carbohydrate Research 272 (1995) C25–C27

CARBOHYDRATE RESEARCH

Contents

Regular papers

Synthesis of disaccharide glycosyl donors suitable for introduction of the β-D-Gal*p*-(1 → 3)-α- and -β-D-Gal*p*NAc groups
M. Wilstermann and G. Magnusson (Lund, Sweden) 1

Synthesis of the saccharide moiety of galactosylgloboside (SSEA-3) and its conjugation to bovine serum albumin and Sepharose
U. Nilsson and G. Magnusson (Lund, Sweden) 9

Synthesis of 1,5-dideoxy-1,5-imino-D-arabinitol (5-*nor*-L-fuco-1-deoxynojirimycin) and its application for the affinity purification and characterisation of α-L-fucosidase
G. Legler (Köln, Germany), A.E. Stütz (Graz, Austria) and H. Immich (Köln, Germany) 17

Thermodynamics of the interaction of cyclodextrins with aromatic and α,ω-amino acids in aqueous solutions: a calorimetric study at 25°C
G. Castronuovo, V. Elia, D. Fessas, A. Giordano and F. Velleca (Naples, Italy) 31

Extraction of phenolic-carbohydrate complexes from graminaceous cell walls
G. Wallace, W.R. Russell, J.A. Lomax (Aberdeen, UK) M.C. Jarvis (Glasgow, UK) C. Lapierre (Thiverval-Grignon, France) and A. Chesson (Aberdeen, UK) 41

Characterisation of 4-deoxy-β-L-*threo*-hex-4-enopyranosyluronic acid attached to xylan in pine kraft pulp and pulping liquor by ^{1}H and ^{13}C NMR spectroscopy
A. Teleman, V. Harjunpää, M. Tenkanen, J. Buchert, T. Hausalo, T. Drakenberg and T. Vuorinen (Espoo, Finland) 55

NMR reinvestigation of two *N*-acetylneuraminic acid-containing O-specific polysaccharides (O56 and O24) of *Escherichia coli*
V.I. Torgov, A.S. Shashkov, B. Jann and K. Jann (Freiburg, Germany) 73

Binding of galactomannans to kappa-carrageenan after cold mixing
A. Parker, D. Lelimousin, C. Miniou and P. Boulenguer (Carentan, France) 91

Purification and characterization of extracellular alpha-amylase from *Aspergillus fumigatus*
V. Planchot and P. Colonna (Nantes, France) 97

Notes

Synthesis of 2-acetamido-2-deoxy-5-thio-β-D-altropyranose
N.A.L. Al-Masoudi (Basrah, Iraq) N.A. Hughes (Newcastle upon Tyne, UK) and N.J. Tooma (Basrah, Iraq) 111

Chemical structure of fungal cell-wall polysaccharides isolated from *Microsporum gypseum* and related species of *Microsporum* and *Trychophyton*
J. Jiménez-Barbero, A. Prieto, B. Gómez-Miranda, J.A. Leal and M. Bernabé (Madrid, Spain) . . . 121

Corrigendum . . . C1

Erratum . . . C3

Regular papers

The X-ray crystal structure of *N*-(1-hexadecyl)-D-gluconamide and powder diffraction studies on its lower and higher homologues ($n = 9–18$)
C. André, P. Luger, T. Gutberlet, D. Vollhardt and J.-H. Fuhrhop (Berlin, Germany) . . . 129

Eclipsed exocyclic carbon–oxygen bonds in the hexamethyl ether of *scyllo*-inositol. X-Ray crystallographic and NMR studies
J.E. Anderson (London, UK), S.J. Angyal and D.C. Craig (Sydney, NSW, Australia) . . . 141

Stereoselective glycosylation using fully benzylated pyrimidin-2-yl 1-thio-β-D-glycopyranosides
Q. Chen and F. Kong (Beijing, China) . . . 149

Synthetic and structural studies of α-sialyl-(2 → 6) and α-sialyl-(2 → 3) 1-deoxynojirimycin derivatives potentially useful for biomedical applications
M. Kiso, K. Ando, H. Inagaki, H. Ishida and A. Hasegawa (Gifu, Japan) . . . 159

The chemical synthesis of *Leishmania donovani* phosphoglycan via polycondensation of a glycobiosyl hydrogenphosphonate monomer
A.V. Nikolaev, J.A. Chudek and M.A.J. Ferguson (Dundee, UK) . . . 179

The role of deoxyhexonic acids in the hydrothermal decarboxylation of carbohydrates
G.C.A. Luijkx, F. van Rantwijk, H. van Bekkum (Delft, The Netherlands) and M.J. Antal, Jr (Honolulu, HI, USA) . . . 191

The reaction between epichlorohydrin and polysaccharides: structural elements in a cross-linked dextran, Sephadex® G-25
L. Holmberg (Uppsala, Sweden), B. Lindberg (Stockholm, Sweden) and B. Lindqvist (Uppsala, Sweden) . . . 203

Structural studies of the saccharide part of the cell envelope lipooligosaccharide from *Haemophilus influenzae* strain galEgalK
E.K.H. Schweda, P.-E. Jansson (Huddinge, Sweden), E.R. Moxon (Oxford, UK) and A.A. Lindberg (Wayne, NJ, USA) . . . 213

Structure of the O6 antigen of *Stenotrophomonas (Xanthomonas* or *Pseudomonas) maltophilia*
A.M. Winn and S.G. Wilkinson (Hull, UK) . . . 225

Characterization of a lipopolysaccharide O antigen containing two different trisaccharide repeating units from *Burkholderia cepacia* serotype E (O2)
L.M. Beynon (Ottawa, Canada), A.D. Cox (Ottawa, Canada), C.J. Taylor, S.G. Wilkinson (Hull, UK) and M.B. Perry (Ottawa, Canada) . . . 231

Isolation and partial characterization of feruloylated oligosaccharides from maize bran
L. Saulnier, J. Vigouroux and J.-F. Thibault (Nantes, France) . . . 241

Note

Direct transformation of D-idose and D-altrose with potassium cyanate into cyclic carbamates of derived glycosylamines
J. Kovács, I. Pintér (Budapest, Hungary) and P. Köll (Oldenburg, Germany) 255

Preliminary communications

Novel aminocyclitol antibiotics derived from natural carbohydrates
I.F. Pelyvás, M. Mádi-Puskás, Z.G. Tóth, Z. Varga, G. Batta and F. Sztaricskai (Debrecen, Hungary) C5

N-Amidino-3,4,5-trihydroxypiperidine, a new efficient competitive β-glucosidase inhibitor
J. Lehmann and B. Rob (Freiburg, Germany) C11

Erratum C15

Author index C17

Subject index C19

Contents C25